



Product Specifications

Model	XT—46C
Type	Intelgent
Dimension	800x445 x 330
Level Over Ground	20mm
Net Weight	21Kg
Film-feeding Time	4.0sec
Shaping Time	2sec
Maximum Power	1300W
Start Preheating Time	3min
Voltage/Frequency	220+5%V 50Hz
Hot Standby Power	75W
Highest Temperature of Heater	250°C

XT—46C

Our Hospitality Begins at Your Feet



Operation Condition and Safety

The shoe cover machine shall be used in a clean environment without much high-conductivity fiber. The ambient temperature is 5°C-40°C, and the humidity is not more than 87%. The elevation is less than 1,000m. Film used in shoes cover machine is made of PVC with a certain static electricity. If it is used in the location with the requirement of static electricity, the application scope must be measured.

Safety

In order to ensure the safe usage, please strictly follow the following points:

Before using XT-46C machine, please read this instruction carefully and follow the operating procedure. Maloperation is not allowed

Before power on, please make sure the input voltage meet the 220V-240V requirement.

Warnings: the power supply must have reliably earthed. If not, it may cause serious personal safety or equipment damage problem.

In order to avoid machine failure and safety problem, it is prohibited to place the machine in the open or flush the machine with water for cleaning.

It is prohibited to cover bare foot with film in the machine; It is prohibited to press the footboard when the film is feeding.

It is prohibited to put any foreign matter into the machine.

Children are prohibited to use or play the machine alone.

It is prohibited to walk on the floor where is with water and oil, the attention of anti-skid should be paid.

During maintenance for the machine or moving the machine, it is necessary to disconnect the power.

@ Please often clear up the ventilation slot at the bottom of the machine, in order to avoid blocking and influence the normal operation.

Our Hospitality Begins at Your Feet

PDF Converter

Only two pages were converted.

Please **Sign Up** to convert the full document.

www.freepdfconvert.com/membership